

- B. All existing HVAC and other equipment shall be protected from any damage that could be caused by roofing demolition, foam over spray, fluid-applied membrane, and mishandling.
- C. Raising, re-setting, and protection of air conditioning equipment, ventilators, and exhaust fans may be required.
- D. Related Sections:
 - 1. Section 03 03 00 - Cast-in-Place Concrete
 - 2. Section 05 30 00 - Metal Decking
 - 3. Section 06 10 00 - Rough Carpentry
 - 4. Section 07 20 00 - Thermal Protection
 - 5. Section 07 50 00 - Membrane Roofing
 - 6. Section 07 60 00 - Flashing and Sheet Metal
 - 7. Section 07 70 00 - Roof and Wall Specialties and Accessories
 - 8. Section 08 60 00 - Roof Windows and Skylights

1.2 SYSTEM DESCRIPTION

- A. **THERMOLENE® SEBS** shall be a complete system of compatible materials to create a seamless waterproof roofing membrane to comply with the warranty requirements of this specification.
- B. **THERMOLENE® SEBS** shall be designated for application on the specific type of deck as indicated on the drawings and specifications.

1.3 SUBMITTALS

- A. Product Data: Submit manufacturers' literature, technical data, material safety data sheets (MSDS), and installation